

WHAT IS CLAIMED IS:

1. A developer supply container substantially non-rotatably mountable, with a developing device, to a rotatable member provided in an image forming apparatus, said developer supply container being adapted to supply a developer into the developing device therefrom with rotation of the rotatable member, said developer supply container comprising:

a container body for containing the developer;

a discharging opening, formed in a peripheral surface of said container body, for permitting downward discharge of the developer;

a feeding portion, provided in said container body, for feeding the developer in a feeding direction toward said discharge opening with rotation of said rotatable member; and

a developer movement constraining portion, provided adjacent a position facing said discharge opening within in said container body, for constraining the developer which is reversed into said container body through said discharge opening when said discharge opening faces upward with rotation of said rotatable member, from moving in a direction opposite to the feeding direction.

2. A developer supply container according to

Claim 1, wherein said constraining portion includes a projected portion which is projected from an inside surface of said container body in a direction substantially perpendicular to the feeding direction.

5
3. A developer supply container according to Claim 1 or 2, further comprising developer rotation constraining portion for constraining movement of the reversed developer from making a rotational moment
10 along the inside surface of said container body with rotation of the developer.

15 4. A developer supply container according to Claim 3, wherein said rotation constraining portion includes a projected portion which is projected from the inside surface of said container body in a direction substantially perpendicular to rotational moment of the developer.

20 5. A developer supply container according to Claim 4, wherein said movement constraining portion and said the rotation constraining portion are integral with each other.

25 6. A developer supply container according to Claim 1, wherein said feeding portion is provided with a guiding portion for guiding a part of the

developer fed toward said discharge opening to a position downstream of said discharge opening with respect to the feeding direction.

5

10

15

20

25